





HGP Part Number	HorsePower (HP)	kVar	Harmonic	Voltage (V)	Hz.	Phase
HGP0008BW3----	8	2	5th	240	60	3

HGP Part Number	Schematic Drawing #	Approx Weight (LBS)
HGP0008BW3S0000	30209-1S	130
HGP0008BW3C0000	30209-1	131
HGP0008BW3C000H	30209-1H	135
HGP0008BW3C1000	30209-PQ	132
HGP0008BW3C100H	30209-PQH	136

Note: For Torque Information See IOM Manual

Customer Connections.
L1, T1, L2, T2, L3, T3
Wire Range: 1 AWG to 22 AWG.

Ground Lug
Wire Range: 1/0 to 14 AWG.



Components	HGP0008BW3----			
	S0000	C0000	C000H	C1000
Line Reactor (LR)	x	x	x	x
Trap Reactor (TR)	x	x	x	x
Capacitor (Cap)	x	x	x	x
Trap Fusing, FU1, FU2, FU3	x	x	x	x
Contactor (CNT)		x	x	x
Transformer (XFMR)	x	x	x	x
XFMR Fusing, FU4, FU5	x	x	x	x
Heater			x	
PQConnect Board				x

NOTE: USE ONLY HUBS OR FITTINGS THAT COMPLY WITH UL514B FOR TYPE 3R ENCLOSURES

Customer Is Responsible For Installation to Meet All National And Local Electrical Codes.

Material(s) Shall be RoHS Compliant

THE INFORMATION AND DESIGNS CONTAINED IN THIS DRAWING ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES. NEITHER THIS DESIGN NOR ANY INFORMATION CONTAINED IN THIS DRAWING MAY BE REPRODUCED OR DISCLOSED TO OTHERS WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLIED MOTION TECHNOLOGIES INC. AND ITS SUBSIDIARIES.	TOLERANCES (EXCEPT AS NOTED)				
	DECIMAL	.XX ± .25	.XXX ± .10		
	FRACTIONAL	± 1/32			
	ANGULAR	± 1°			
DATE	04/08/20	BY	JRN	DATE	04/08/20
REVISION		SCALE	1/8	DATE	04/08/20
				DATE	04/08/20
				DATE	04/08/20

TCL W182N10611 (Rev. 13 Feb 2023)
Germantown, WI 53022
© 2023 TCI, LLC

Harmonic Guard Passive
HGP, 8HP, 240/3/60, Type 3R

DATE: 04/08/20
DRAWN BY: JRN
SCALE: 1/8
REVISED BY: JRN
DATE: 04/08/20
PART NO: 108567DG
SHEET 1 OF 1